

 Take Assessment: Section I Exam

**Name** Section I Exam

**Instructions** These questions come from the Unit Discussion Assignments found in each course unit. To help prepare your answers, you should use your text and other references and readings which pertain to the topic in question. You may enter and save your answers for a portion of this exam by using the "Save" button. Once all questions have been answered, click the "Submit" button. The "Save" and "Submit" buttons are located at the bottom of the exam. **Complete the problem below and show your work. This exam is not to be submitted by e-mail but only as an online exam by clicking the submit button.**

**NOTE: In order to respond you will need to upload your saved document into Blackboard by clicking on the "browse" button in each question.**

**Multiple Attempts** Not allowed. This Test can only be taken once.

**Force Completion** This Test can be saved and resumed later.

▼ **Question Completion Status:**

**Question 1**

**10 points** [Save](#)

Calculate the value of the function at the designated input and explain the result.  $C(x) = 45.50x$ , where  $C(x)$  is the cost of buying  $x$  radios.

- a. Find the cost of buying 5 radios.
- b. Find the cost of buying 8 radios.

Attach local file

**Question 2**

**10 points** [Save](#)

Given that a line passes through two points (4, 5) and (6, 9), answer the following questions: What is the slope of the line? What is the equation of the line in slope intercept form? What is the equation of the line in point slope form? What is the equation of the line in standard form?

Attach local file

**Question 3**

**10 points** [Save](#)

In 2006, Jenny began selling magazines. The company sold Jenny a beginning packet for \$250.00. Jenny's cost for each magazine is 10% of the sales price.

- 1. Find the linear model for Jenny's cost as a function of the dollar volume of magazines sold.
- 2. Find the linear model of Jenny's revenue as a function of the dollar volume of magazines sold.
- 3. Find the linear model for Jenny's profit as a function of the dollar volume of magazines sold.
- 4. How many dollars of magazines must Jenny sell before she begins to make a profit?

Attach local file

**Question 4**

**10 points** [Save](#)

Solve the following systems of equations.

- a. 
$$\begin{cases} 3x - 7y = 10 \\ 2x + y = 4 \end{cases}$$
- b. 
$$\begin{cases} 2x + 2y = 7 \\ 3x - 3y = 4 \end{cases}$$

Attach local file

**Question 5**

**10 points** [Save](#)

Rewrite the following system of equations as an augmented matrix. Then, put the matrix in reduced row echelon form to find the solution to the system of equations.

$$\begin{cases} x - y = 3 \\ 6x + 7y = 44 \\ 6x - 7y = 16 \end{cases}$$

Attach local file

**Question 6**

**10 points** [Save](#)

Determine if the following matrices are in reduced row echelon form. If it is not reduced, specify which criteria it fails to meet.

a. 
$$\left[ \begin{array}{ccc|c} 1 & 0 & 0 & 3 \\ 0 & 0 & 1 & 2 \\ 0 & 0 & 0 & 1 \end{array} \right]$$

b. 
$$\left| \begin{array}{ccc|c} 1 & 0 & 0 & 3 \\ 0 & 1 & 2 & 5 \\ 0 & 0 & 1 & 6 \end{array} \right|$$

Attach local file

**Question 7**

**10 points**

Perform the indicated operations for the matrices  $A = \begin{bmatrix} 1 & 3 \\ 4 & 6 \end{bmatrix}$  and  $B = \begin{bmatrix} 4 & 0 \\ 5 & 6 \end{bmatrix}$

- a.  $A + B$
- b.  $A - B$
- c.  $5A$
- d.  $2A+B$
- e. determinant of  $A$

Attach local file

**Question 8**

**10 points**

Calculate the inverse of the following matrices.  $\begin{bmatrix} 1 & 3 \\ 4 & 5 \end{bmatrix}$

b.  $\begin{bmatrix} 4 & 0 \\ 5 & 6 \end{bmatrix}$

c.  $\begin{bmatrix} 2 & 5 \\ 1 & 1 \end{bmatrix}$

d.  $\begin{bmatrix} -5 & 7 \\ -3 & 4 \end{bmatrix}$

Attach local file

**Question 9**

**10 points**

Write the system of equations as a matrix equation

$$\begin{array}{l} 5x + y + z = a \\ 4x - 2y + 5z = -2 \\ x - 7y + 6z = 7 \end{array}$$

Attach local file

**Question 10**

**10 points**

Students at ACC must earn 90 credits to obtain an Associate's degree. Three students find that they all have a GPA of 3.3 even though they do not have the same number of credits. The students hope to increase their GPAs to a 3.8 by the time they have earned 90 credits. One student has earned 50 credits, another has earned 40, and the other, 85. Is it possible for all of the students to increase their GPA by the time they earn 90 credits?

Attach local file







- Interchange the position of two rows
- Multiply a row by a nonzero number
- Add a nonzero multiple of one row to a nonzero multiple of a another row and replace either row with the result
- Interchange the position of two columns

**Question 8**5 points [Save](#)

A system of equations with infinitely many solutions is called

- Inconsistent
- Consistent
- Dependent
- Independent

**Question 9**5 points [Save](#)

Perform the indicated row operation on the give matrix.

$$2R_1 - R_2 \rightarrow R_2$$

$$\left\{ \begin{array}{cc|c} 121 & 0 & \\ 201 & 1 & \end{array} \right\}$$

- $\left\{ \begin{array}{cc|c} 121 & 0 & \\ 100 & -1 & \end{array} \right\}$
- $\left\{ \begin{array}{cc|c} 121 & 0 & \\ 201 & 1 & \end{array} \right\}$
- $\left\{ \begin{array}{cc|c} 121 & 0 & \\ 041 & -1 & \end{array} \right\}$
- $\left\{ \begin{array}{cc|c} 121 & 0 & \\ 001 & 1 & \end{array} \right\}$

**Question 10**5 points [Save](#)

Give the dimensions of the following matrix.

$$\begin{bmatrix} 1 \\ 2 \\ 5 \end{bmatrix}$$

- 2 X 4
- 3 X 1
- 1 X 3
- 5 X 2

**Question 11**5 points [Save](#)

Solve the system.

$$3x + 2y = 5$$

$$6x + 4y = 8$$

- No solution, inconsistent system
- Infinitely many solutions
- (2,0)
- (0,6)

**Question 12**5 points [Save](#)

Solve the system of equations using elimination.

$$3x - y = -4$$

$$x + 3y = 12$$

- (4, 0)
- (2, 0)
- (0, 4)
- (0, 2)

**Question 13**5 points [Save](#)

Write the following augmented matrix as a system of equations

$$\left\{ \begin{array}{cc|c} 320 & 6 & \\ 405 & 5 & \end{array} \right\}$$



- (36, 6)
- (24, 4)
- (64, 7)
- (48, 8)

Save

Submit



- Singular
- 0
- $\begin{bmatrix} 3 & 2 & 5 \\ 5 & 0 & 2 \\ 3 & 5 & 2 \end{bmatrix}$
- $\begin{bmatrix} 4 & 3 & 1 \\ 0 & 2 & 2 \\ 5 & 3 & 2 \end{bmatrix}$

## Question 7

5 points [Save](#)

Given that  $D = \begin{bmatrix} 2 & 4 \\ 6 & 8 \end{bmatrix}$ , find  $3D$

- $\begin{bmatrix} 6 & 12 \\ 18 & 24 \end{bmatrix}$
- $\begin{bmatrix} 1 & 0 \\ 2 & 4 \end{bmatrix}$
- $\begin{bmatrix} 24 & 18 \\ 6 & 12 \end{bmatrix}$
- $\begin{bmatrix} 0 & 2 \\ 4 & 6 \end{bmatrix}$

## Question 8

5 points [Save](#)

Given that,  $A = \begin{bmatrix} 1 & 7 & 8 \\ 5 & 3 & 2 \\ 0 & 9 & 4 \end{bmatrix}$  and  $B = \begin{bmatrix} 3 & -2 & 4 \\ 0 & 3 & 1 \\ 5 & 7 & -1 \end{bmatrix}$ , calculate  $A + B$

- $\begin{bmatrix} 2 & 5 & 8 \\ 1 & 3 & 6 \\ 5 & 4 & 9 \end{bmatrix}$
- $\begin{bmatrix} 4 & 5 & 12 \\ 5 & 6 & 3 \\ 5 & 16 & 3 \end{bmatrix}$
- $\begin{bmatrix} 2 & 1 & 0 \\ 3 & 4 & 5 \\ 9 & 2 & 4 \end{bmatrix}$
- $\begin{bmatrix} 2 & -9 & -4 \\ 3 & 7 & 11 \\ 5 & 6 & 2 \end{bmatrix}$

## Question 9

5 points [Save](#)

Find the inverse of  $\begin{bmatrix} 2 & 3 \\ 0 & 0 \end{bmatrix}$

- $\begin{bmatrix} -\frac{1}{2} & 1 \\ \frac{1}{2} & -\frac{2}{3} \end{bmatrix}$
- $\begin{bmatrix} 3 & -6 \\ -3 & 4 \end{bmatrix}$
- 1/6
- The inverse does not exist

## Question 10

5 points [Save](#)

Find the determinant of  $\begin{bmatrix} 4 & 6 \\ 3 & 3 \end{bmatrix}$

- 12  
 -18  
 -6  
 0

**Question 11**

5 points [Save](#)

Is the matrix  $\begin{bmatrix} 2 & 3 \\ 0 & 2 \end{bmatrix}$  invertible or singular and why? (Use the determinant to determine this)

- Singular because the determinant equals 0  
 Singular because the determinant equals 4  
 Invertible because the determinant equals 4  
 Invertible because the determinant equals 0

**Question 12**

5 points [Save](#)

Determine the product AB given that  $A = [1 \ 5 \ 2]$  and  $B = \begin{bmatrix} 1 \\ 4 \\ 2 \end{bmatrix}$

- 25  
 20  
 15  
 30

**Question 13**

5 points [Save](#)

Find  $A - B$  given that  $A = \begin{bmatrix} 6 & 5 \\ 4 & 3 \end{bmatrix}$  and  $B = \begin{bmatrix} 0 & 1 \\ 2 & 3 \end{bmatrix}$

- $\begin{bmatrix} 5 & 1 \\ 7 & 6 \end{bmatrix}$   
  $\begin{bmatrix} 5 & 4 \\ 6 & 6 \end{bmatrix}$   
  $\begin{bmatrix} 6 & 4 \\ 0 & 2 \end{bmatrix}$   
  $\begin{bmatrix} 6 & 4 \\ 2 & 0 \end{bmatrix}$

**Question 14**

5 points [Save](#)

Which property of matrix addition is demonstrated below  $\begin{bmatrix} 6 & 5 \\ 4 & 3 \end{bmatrix} + 0 = 0 + \begin{bmatrix} 6 & 5 \\ 4 & 3 \end{bmatrix} = \begin{bmatrix} 6 & 5 \\ 4 & 3 \end{bmatrix}$

- Additive associative  
 Additive commutative  
 Additive identity  
 Additive inverse

**Question 15**

5 points [Save](#)

Find  $0.5A$  if  $A = \begin{bmatrix} 8 & 6 & 4 \\ 2 & 4 & 1 \\ 0 & 12 & 10 \end{bmatrix}$

- $\begin{bmatrix} 4 & 3 & 2 \\ 1 & 2 & 0.5 \\ 0 & 6 & 5 \end{bmatrix}$   
  $\begin{bmatrix} 1 & 2 & 3 \\ 0 & 6 & 5 \\ 4 & 3 & 2 \end{bmatrix}$

- $\begin{bmatrix} 0.5 & 3 & 2 \\ 1 & 6 & 5 \\ 0 & 3 & 4 \end{bmatrix}$
- $\begin{bmatrix} 2 & 3 & 4 \\ 0.5 & 2 & 1 \\ 5 & 6 & 0 \end{bmatrix}$

**Question 16**5 points [Save](#)

Which of the following statements is true of the inverse?

- The inverse does not exist if the determinant is one
- The inverse can be multiplied by the inverse of a matrix to obtain a solution to a system of equations
- The inverse is singular if the inverse exists
- The inverse is the product of a matrix and the identity matrix

**Question 17**5 points [Save](#)Determine the product of  $\begin{bmatrix} 123 \\ 010 \end{bmatrix}$  and  $\begin{bmatrix} 21 \\ 40 \\ 13 \end{bmatrix}$ 

- $\begin{bmatrix} 13 & 10 \\ 4 & 0 \end{bmatrix}$
- $\begin{bmatrix} 4 & 0 \\ 13 & 10 \end{bmatrix}$
- $\begin{bmatrix} 10 & 13 \\ 0 & 4 \end{bmatrix}$
- Cannot compute the product

**Question 18**5 points [Save](#)

The determinant of a matrix that does not have an inverse is

- 1
- 0
- undefined
- $\frac{1}{2}$

**Question 19**5 points [Save](#)Determine the product AB given that  $A = [3 \ 0 \ 4 \ 5]$  and  $B = \begin{bmatrix} 1 \\ 12 \\ 0 \\ 2 \end{bmatrix}$ 

- [12]
- [13]
- [14]
- [15]

**Question 20**5 points [Save](#)

Which property of scalar multiplication is demonstrated below?

$$1 \cdot \begin{bmatrix} 4 & 1 \\ 0 & -1 \end{bmatrix} = \begin{bmatrix} 4 & 1 \\ 0 & -1 \end{bmatrix}$$

- Distributive
- Multiplicative Associative
- Scalar Unit 1
- Scalar Unit 2

Save

Submit

 Take Assessment: Unit IV Quiz

**Name** Unit IV Quiz

**Instructions** Mark the correct answer for each question. Please remember that textbooks and other reference materials can be used to complete this exam.

**Multiple Attempts** Not allowed. This Test can only be taken once.

**Force Completion** This Test can be saved and resumed later.

▼ **Question Completion Status:**

**Question 1** **5 points** [Save](#)

How many three letter words can be formed allowing repetition of letters?

- $3 \cdot 26$  |
- $26^3$  |
- $26 \cdot 25 \cdot 24$
- $3^{26}$  |

**Question 2** **5 points** [Save](#)

What is the cardinality of the Cartesian product  $A \times B$  when  $A = \{5, 7\}$  and  $B = \{1, 2, 3, 4, 5\}$

- 7
- 8
- 9
- 10

**Question 3** **5 points** [Save](#)

A new restaurant in town is offering a limited menu from which you can choose one meat, one vegetable, one bread choice, and one dessert. If there are 4 meat selections, 7 vegetable selections, 2 bread selections, and 3 desserts, how many different meals can be created?

- 24
- 16
- 168
- 184

**Question 4** **5 points** [Save](#)

$C(12, 3)$

- $\frac{12!}{3!}$  |
- $12 \cdot 11 \cdot 10$
- $12 \cdot 11 \cdot 10 \cdot 9 \cdot 8 \cdot 7 \cdot 6 \cdot 5 \cdot 4 \cdot 3 \cdot 2$  |
- 220

**Question 5** **5 points** [Save](#)

There are 30 members of the BETA club at a certain high school. In how many ways can a president, secretary, and treasurer be elected?

- $\frac{30!}{3!}$  |
- $\frac{30 \cdot 29 \cdot 28}{3 \cdot 2}$
- $\frac{30!}{27!}$  |
- $27!$

**Question 6** **5 points** [Save](#)

Use the cardinality of a union to solve: If

$$n(S) = 10, n(R \cup S) = 16, \text{ and } n(R \cap S) = 2, \text{ then } n(R) = |$$

- 8
- 4
- 6
- 2

**Question 7** **5 points** [Save](#)

$P(8, 5) =$

- $8 \cdot 7 \cdot 6 \cdot 5 \cdot 4$  |
- $\frac{8!}{5!3!}$  |
- $\frac{5!}{8!}$  |
- $8 \cdot 7 \cdot 6 \cdot 5$  |

**Question 8****5 points** [Save](#)

An exam contains 5 multiple-choice questions, each having 4 possible answers. In how many different ways can the exam be completed?

- $C(5, 4)$
- $5^4$  |
- $4^5$  |
- $5 \cdot 4 \cdot 3 \cdot 2$  |

**Question 9****5 points** [Save](#)

If  $n(S) = 12$ ,  $n(R \cup S) = 18$ , and  $n(R \cap S) = 3$ , then  $n(R) =$  |

- 4
- 10
- 8
- 9

**Question 10****5 points** [Save](#)

Consider the following sets.

$$U = \{1, 2, 3, 4, 5, 6, 7, 8\}$$

$$A = \{2, 4, 6, 8\}$$

$$B = \{1, 2, 3, 5, 7\}$$

$A' \cap B$  is the set.

- $\emptyset$  |
- $\{1, 3, 5, 7\}$
- $\{2\}$
- $\{4, 6, 8\}$

**Question 11****5 points** [Save](#)

In how many ways can a hand of five cards be dealt from an ordinary deck of 52 cards?

- $\frac{52!}{5!}$  |
- $52 \cdot 51 \cdot 50 \cdot 49 \cdot 48$  |
- $47!$
- $\frac{52!}{5!47!}$  |

**Question 12****5 points** [Save](#)

Four women and three men sign up to work weekends at a small restaurant. Four of them will be scheduled to work this weekend. Find the probability that the group selected contains men and women.

- .971
- .008
- .865
- .783

**Question 13****5 points** [Save](#)

Which of the following events are mutually exclusive?

- Living in Baltimore and working in Washington, D.C.
- Being a college student and being a high school graduate
- Being a banker and a rock collector
- Being a mother and being a grandfather

**Question 14****5 points** [Save](#)

What is the Cartesian product  $A \times B$  when  $A = \{R, S\}$  and  $B = \{1, 2, 3\}$

- $\{(R, 1), (R, 2), (R, 3), (S, 1), (S, 2), (S, 3)\}$
- $\{(1,1), (2,2), (3, 3), (S, S), (S, R), (R, 3)\}$
- $\{(R, S), (S, R), (1, 2), (3, 3), (3, 2), (S, 3)\}$
- $\{(3, 2), (1, 3), (3, 1), (S, 1), (S, 2), (S, 3)\}$

**Question 15**

5 points [Save](#)

Consider the following sets.

$$U = \{1, 2, 3, 4, 5, 6, 7, 8\}$$

$$A = \{2, 4, 6, 8\}$$

$$B = \{1, 2, 3, 5, 7\}$$

Which of the following statements is true?

- $A \cap B = U$
- A is a subset of  $A \cap B$
- $A \cap B = \emptyset$
- $A \cap B$  is the subset of A

**Question 16**

5 points [Save](#)

Consider the following sets.

$$U = \{1, 2, 3, 4, 5, 6, 7, 8\}$$

$$A = \{2, 4, 6, 8\}$$

$$B = \{1, 2, 3, 5, 7\}$$

$(A \cup B')$  is the set.

- $\emptyset$
- $\{1, 3, 5, 7\}$
- $\{2\}$
- $\{4, 6, 8\}$

**Question 17**

5 points [Save](#)

For a school fundraiser, Allison is selling cookies. She has five chocolate chip cookies, 3 oatmeal cookies, and 2 peanut butter cookies. How many cookies does Allison have for sale?

- 8
- 10
- 12
- 14

**Question 18**

5 points [Save](#)

Given a set of numbers  $S = \{5, 10, 11, 15, 17, 18\}$ , what is the probability of randomly selecting a number from the set that is a multiple of 5?

- 50%
- 25%
- 200%
- 20%

**Question 19**

5 points [Save](#)

$P(12, 3)$

- $12 \cdot 11 \cdot 10$
- $\frac{3!}{12!}$
- $\frac{12!}{9!3!}$
- $12 \cdot 11 \cdot 10 \cdot 9$

**Question 20**

5 points [Save](#)

A set D is a subset of set C provided that

- At least one element of c is not an element of D
- At least one element of d is not an element of C
- Every element of D is an element of C
- Every element of c is an element of D

 Take Assessment: Unit V Quiz**Name** Unit V Quiz**Instructions** Mark the correct answer for each question. Please remember that textbooks and other reference materials can be used to complete this exam.**Multiple Attempts** Not allowed. This Test can only be taken once.**Force Completion** This Test can be saved and resumed later.▼ **Question Completion Status:**

- Question 1** 5 points [Save](#)
- The probability that a person with a positive test result will actually have the disease is referred to as
- PVP
  - PVN
  - Sensitivity
  - Specificity
- Question 2** 5 points [Save](#)
- The probability of moving from a state  $i$  to a state  $j$  is called the
- Stochastic process
  - Transition matrix
  - Transition probability
  - State transition
- Question 3** 5 points [Save](#)
- Suppose that  $P(E) = 0.4$ , the  $P(F) = 0.5$  and the  $P(E \cap F) = 0.1$ . Calculate  $P(F|E)$ .
- 0.2
  - 0.45
  - 0.25
  - 0.1
- Question 4** 5 points [Save](#)
- Sensitivity is
- The probability that a person with a negative test result will not have the disease
  - The probability that a person with a positive test result will actually have the disease
  - The probability that a test result will be positive when the test is administered to a person with the disease
  - The probability that a test result will be negative when the test is administered to a person without the disease
- Question 5** 5 points [Save](#)
- Are the following two events independent or dependent?  
Two dice are rolled.  
 $E$  = the first dice shows a 3  
 $F$  = the second dice shows a 5
- Independent
  - Dependent
- Question 6** 5 points [Save](#)
- What does a probability tree have that a regular decision tree does not?
- A starting point
  - More branches
  - More choices
  - Annotated probability
- Question 7** 5 points [Save](#)
- The known percentage of people in the population that are infected is referred to as
- Sensitivity
  - PVP
  - PVN
  - Prevalence
- Question 8** 5 points [Save](#)
- The statement  $P(A|B)$  reads
- The probability that event A occurs after event B
  - The probability that event A occurs before event B
  - The probability that event A occurs given event B
  - The probability that event A occurs during event B
- Question 9** 5 points [Save](#)

A couple has 8 foster children, including 3 girls and 5 boys. Two-thirds of the girls have brown eyes. What is the probability that a randomly selected child is a brown-eyed girl?

- 50%
- 25%
- 75%
- 22.5%

**Question 10****5 points** [Save](#)

$P(A|B) = .85$  and  $P(B) = .12$ . Find  $P(A \cap B)$

- 0.343
- 0.102
- 0.574
- 0.054

**Question 11****5 points** [Save](#)

If the sum of the entries in each row of a square matrix with nonnegative entries is 1, then the matrix is called a

- Stochastic process
- Stochastic matrix
- State matrix
- Transition matrix

**Question 12****5 points** [Save](#)

Suppose that  $P(E) = 0.4$ , the  $P(F) = 0.5$  and the  $P(E \cap F) = 0.1$ . Calculate  $P(E|F)$ .

- 0.2
- 0.45
- 0.25
- 0.1

**Question 13****5 points** [Save](#)

Given the following information, calculate the PVN.

Prevalence = 15%

Sensitivity = 40%

Specificity = 20%

- 56.3%
- 22.1%
- 65.4%
- 86.9%

**Question 14****5 points** [Save](#)

Which of the following statements about Bayes' theorem is false?

- Bayes' Theorem can be used in educational analysis and drug testing
- Bayes' theorem can be applied to information from a probability tree
- Bayes' theorem is always the simplest method
- Bayes's theorem can be used in e-mail filtering

**Question 15****5 points** [Save](#)

Given the transition matrix  $P = \begin{bmatrix} 0.2 & 0.8 \\ 0.4 & 0.6 \end{bmatrix}$ .

What is the probability of moving from state  $S_1$  to state  $S_2$ ?

- 0.8
- 0.2
- 0.4
- 0.6

**Question 16****5 points** [Save](#)

Specificity is

- The probability that a person with a negative test result will not have the disease
- The probability that a person with a positive test result will actually have the disease
- The probability that a test result will be positive when the test is administered to a person with the disease
- The probability that a test result will be negative when the test is administered to a person without the disease

$$P = \begin{bmatrix} 0.2 & 0.8 \\ 0.4 & 0.6 \end{bmatrix}$$

- [2]  
 [1]  
  $\begin{bmatrix} 0.36 & 0.64 \\ 0.32 & 0.68 \end{bmatrix}$   
  $\begin{bmatrix} 0.4 & 0.16 \\ 0.16 & 0.36 \end{bmatrix}$

**Question 18****5 points** [Save](#)

Predictive-value negative (PVN) is

- The probability that a person with a negative test result will not have the disease  
 The probability that a person with a positive test result will actually have the disease  
 The probability that a test result will be positive when the test is administered to a person with the disease  
 The probability that a test result will be negative when the test is administered to a person without the disease

**Question 19****5 points** [Save](#)

Given the following information, compute the PVP using Bayes' Theorem.

Prevalence = 20%

Sensitivity = 50%

Specificity = 75%

- 25%  
 33.3%  
 45%  
 60.4%

**Question 20****5 points** [Save](#)

If the probabilities of subsequent events are not altered by previous choices then the events are said to be

- Independent events  
 Unaltered events  
 Dependent events  
 Conditional events

[Save](#)[Submit](#)

 Take Assessment: Unit VI Quiz**Name** Unit VI Quiz**Instructions** Mark the correct answer for each question. Please remember that textbooks and other reference materials can be used to complete this exam.**Multiple Attempts** Not allowed. This Test can only be taken once.**Force Completion** This Test can be saved and resumed later.▼ **Question Completion Status:****Question 1** **5 points** [Save](#)

Which of the following is also referred to as the average?

- Mean
- Standard deviation
- Median
- Mode

**Question 2** **5 points** [Save](#)

How do you calculate the deviation from the mean?

- Add the mean to each number
- Subtract the mean from each number
- Multiply the mean by each number
- Divide each number by the mean

**Question 3** **5 points** [Save](#)

Which of the following is true?

- The graph of a probability distribution is a histogram.
- A histogram is a pie chart.
- The number of times a value occurs is referred to as a probability distribution.
- The collection of probabilities is a frequency distribution.

**Question 4** **5 points** [Save](#)

To find the expected value of a random variable, you must

- Multiply all probabilities together
- Multiply all random variables together
- Multiply each value of the random variable by its associated probability and sum the results
- Add all probabilities together

**Question 5** **5 points** [Save](#)

What is the mode of the data set 23, 44, 22, 23, 23, 44, 23, 55?

- 23
- 44
- 22
- 55


**Question 6** **5 points** [Save](#)

Calculate the standard deviation of the following set of scores: 45, 52, 45, 40.

- 45
- 45.5
- 5.77
- 4.93

**Question 7** **5 points** [Save](#)

Which table of data does the following histogram represent?



- |        |      |      |      |      |      |
|--------|------|------|------|------|------|
| x      | 10   | 15   | 20   | 25   | 30   |
| p(X=x) | 4/36 | 5/36 | 6/36 | 5/36 | 4/36 |
- |        |      |      |      |      |      |
|--------|------|------|------|------|------|
| x      | 1    | 2    | 3    | 4    | 5    |
| p(X=x) | 4/36 | 5/36 | 6/36 | 5/36 | 4/36 |
- |        |      |      |      |      |      |
|--------|------|------|------|------|------|
| x      | 3    | 4    | 5    | 6    | 7    |
| p(X=x) | 4/36 | 5/36 | 6/36 | 5/36 | 4/36 |
- |        |      |      |       |      |      |
|--------|------|------|-------|------|------|
| x      | 3    | 4    | 5     | 6    | 7    |
| p(X=x) | 8/36 | 9/36 | 11/36 | 9/36 | 8/36 |

**Question 8**5 points [Save](#)

Find the expected value for the probability distribution below

x	0	1	2	3	4
p(X=x)	.5	.2	.1	.1	.1

- 1.1
- 41.1
- 2.35
- 52.5

**Question 9**5 points [Save](#)

The standard deviation is the square root of the

- Mean
- Sum of the means
- Variance
- Median

**Question 10**5 points [Save](#)All of the following are properties of a normal distribution *except*

- The graph of the distribution is a bell shaped curve
- The mean, median and mode are different
- The graph is symmetric about a vertical line that passes through the population mean
- The area below the graph of the distribution and above the horizontal axis is equal to 1.

**Question 11**5 points [Save](#)

Use table 8.21 on page 585 of the text to determine the area beneath the standard normal curve on the interval [0, 2.05].

- 0.4963
- 0.4938
- 0.4798
- 0.4817

**Question 12**5 points [Save](#)Suppose a normal distribution has  $\mu = 1.4$  and  $\sigma = 0.2$ , calculate the z-score for  $x = 3.5$ .

- 1.05
- 2.5
- 3
- 0.7

**Question 13**5 points [Save](#)

Which of the following choices is not a measure of central tendency?

- Mean
- Standard deviation
- Median
- Mode

**Question 14**5 points [Save](#)

Which of the following is defined as a value that is repeated most often?

- Mean
- Standard deviation
- Median
- Mode

**Question 15**5 points [Save](#)

Determine the probability that a randomly selected data value will fall within 1.67 standard deviations of the mean.

- 45.25 percent
- 90.5 percent
- 85.5 percent
- 30.25 percent

**Question 16****5 points** [Save](#)

What is the correct interval of values within one standard deviation of the mean if the mean of a certain set of data is 50 and the standard deviation is 10?

- [45, 50]
- [50, 60]
- [40, 60]
- [40, 50]

**Question 17****5 points** [Save](#)

Calculate the mean for the data 100, 88, 45, 76, 90.

- 76
- 89.5
- 79.8
- 62.3

**Question 18****5 points** [Save](#)

Calculate the z-score for  $x = 20$  given a normal distribution with  $\mu = 25$  and  $\sigma = 4$ .

- 2.5
- 1.5
- .75
- 1.25

**Question 19****5 points** [Save](#)

Find the expected value for the probability distribution below

x	0	1	2	3	4
$p(X=x)$	.15	.2	.1	.25	.3

- 1.1
- 2.35
- 4.15
- 52.5

**Question 20****5 points** [Save](#)

A die is rolled 30 times. What is the expected value that a 5 will appear?

- 2
- 3
- 4
- 5

[Save](#)[Submit](#)